

Product : Dy VOLT PD25						
Backing	DIELECTRIC PAPER + PET FILM + DIELECTRIC PAPER					
Property	Unit	Tolerance	Types			Coveme Test Method
			PD25 23	PD25 33	PD25 43	
Dielectric Paper Thickness	µm	±10%	100	150	200	43
Weight	g/m ²	±12%	273	383	493	07
Laminate Thickness	mm	±15%	0,23	0,33	0,43	43
Tensile Strength (M.D.)	N/cm	min	100	140	170	46
Elongation (M.D.)	%	min	2	2	2	46
Dielectric Strength	kV	min	4	4,5	5,5	45